

BENZODIAZEPINE RESISTANT STATUS EPILEPTICUS

Kenneth A Scheppke, MD, FAEMS
Chief Medical Officer
Palm Beach County Fire Rescue

WHAT NEEDS TO WORK TO BE "CONSCIOUS"?





WHAT IF NO PART OF THE BRAIN IS WORKING? DROPERIDOL DRIVEN CONSCIOUSNESS?





SEIZURE

AND

STATUS EPILEPTICUS



FOCAL VS GENERALIZED SEIZURES





SEIZURE MIMICS





ECLAMPSIA

- More likely in first pregnancy and extremes of age
- Associated with precipingsia and high blood pressure
- Can occur near end of pregnancy and even after delivery
- Cerebral vasoconstriction and blood brain barrier compromise
- Magnesium is mainstay treatment



CLINICAL PEARL: LATERAL TONGUE BITING

 Occurs in approx. 30% of Seizures but is <u>Highly Specific</u> for <u>Seizure</u> especially if LATERAL Tongue





- Lifetime Risk of Status Epilepticus up to 15% in Seizure Patients
- Death rate from prolonged Status approximates 33% in adults
- Some Status cases are Refractory to Benzodiazepines
- EMS carries limited medication armamentarium

THE PROBLEM



STATUS EPILEPTICUS

 How do Benzos and Most Seizure Medications Stop Seizures?

Midazolam
 GABA

Lorazepam: GABA

Diazepam: GABA

Phenobarbital: GABA


Valproic Acid: GABA

Thiopental: GABA

What can we do if Benzo's Fail??



SCHEPPKE'S PERSONAL BIAS



EMS Already Carries Ketamine


- Sedative (Dissociative Anesthesia)
- Pain Relief
- Amnesia
- Bronchodilator
- Anti Seizure



KETAMINE POSTULATED MECHANISM OF ACTION IN STATUS EPILEPTICUS

GABA_A Receptors
(inhibiting brain cell firing)

NMDA Receptors (causing brain cell firing)



KETAMINE PROTOCOL


• EMS Captain Approval Required

- 100mg of Ketamine IV/IO in adults (1mg/kg in children)
 - Or
- 3 mg/kg IM (adults and children)






PILOT DATA: 21/22* CASES RESOLVED AFTER KETAMINE



LONGER TERM EXPERIENCE: 82 TOTAL CASES: 76 RESOLVED



TAKE HOME PEARLS

- Tongue bite and prolonged confusion suggest seizure in altered LOC patients
- Status Epilepticus is a time sensitive life-threatening condition
- Benzodiazepines are first line therapy for seizure
- Ketamine is a promising agent (over 90% success) for benzodiazepine resistant Status Epilepticus

Thank You!!

